



PROPOSED FITNESS ZONE

Leyden Rock

Arvada, CO


VERSION2 REV1 2026-09-04





Index

03-08	Proposed Design
09	Unit Selection
10	Critical Fall Heights
11	Project Layout
12-18	Unit Details
19-20	Signage
22-24	Shade
25-26	Installation & Maintenance
27-28	Warranty



**DOWNLOAD THE
GREENFIELDS
OUTDOOR
FITNESS APP!**

See page 21 for details

Why Greenfields Outdoor Fitness?

It's never been more important to get everyone in the community exercising!
Since 2007, Greenfields Outdoor Fitness has led the way in creating fun, interactive exercise areas available to the public 24/7.



PROVEN IMPACT

"We think [Fitness Zones] are a tremendous investment, because a study has been done by the Rand Corporation that shows that the cost per energy unit burned in a Fitness Zone is by far the cheapest intervention of any intervention you can do for fitness and health in a park." - Adrian Benepe, Sr. VP & Director of City Park Development, The Trust for Public Land



PROVEN APPEAL

"One of the unique things about all these fitness centers is they can be used by all segments of the population. To this day [the fitness center] is one of our most popular amenities outdoors at our park, it's used daily." - PJ Mellana, Director of Parks & Recreation, City of Bellflower, CA



PROVEN DURABILITY

"We chose Greenfields for this project because certain locations are prone to more vandalism ... Greenfields has actually stood up to the test." - Christopher Herbert, Senior Engineer & Technician, City of San Jose, CA

A study funded by the CDC examined physical activity levels at two parks before and after the installation of outdoor fitness equipment. The study demonstrated that "in both parks, there were significantly greater odds of high-intensity physical activity overall after the installation." (<https://pubmed.ncbi.nlm.nih.gov/32290320/>)


















UNITS

A	SGR021	4-Person Lower Body Combo
B	SGR022	4-Person Pendulum, Abs, & Dip Station
C	SGR042	2-Person Back & Arms Combo
D	SGR048A	2-Person Chest Press
E	SGR048C	2-Person Combo Lat Pull & Vertical Press
F	SGR091	Rowing Machine
G	SHP515	Functional Fitness Rig
H	SHP724	Plyometric Steps (Set of 3)
I	SGR105	Customized Announcement Sign

These 8 units may serve up to 33 people at a time.

In order to honor our commitment to quality and safety, Greenfields Outdoor Fitness reserves the right to make changes and revise the design specifications without notice. The equipment shown in this document is a representation only; exact product ordered and shipped may differ from designs shown. Should there be a discrepancy between items listed or depicted in this document and items listed or depicted in Greenfields' estimates and order confirmations, the information listed in estimates and order confirmations will prevail.



FALL ATTENUATING SURFACING

To meet the ASTM F3101-21A Standard requirement for safety surfacing, Greenfields specifies the CFH (Critical Fall Height) for all fitness units and components in each design layout.


Critical Fall height is specified as the distance from the designated use surface to the surface below, and follows the same rules applied to playgrounds. For example, in a seated position, the CFH will be from the seat to the floor below. In the case of a pull-up bar, it will be the distance from the top of the bar to the ground below. For the finish wall of the Ninja Course, it will be the top landing platform, etc.

The decision of which type of fall attenuating surface material to use is ultimately up to the owner. The options include but are not limited to synthetic turf, engineered wood fiber, rubber tiles, and poured-in-place EPDM, to name a few. The thickness of each material recommended for a given CFH will vary by the manufacturer of the surfacing.

Greenfields recognizes the owner may prefer one surfacing supplier over another. All we ask is that the material thickness meets the IPEMA requirement for the published CFH, and that the installer/supplier provides the owner with IPEMA Certification stating that the installed surfacing meets the required minimum CFH.

Maximum critical fall height (CFH) is defined as the distance between the designated use surface and the surface beneath it.

2D SITE PLAN



In order to honor our commitment to quality and safety, Greenfields Outdoor Fitness reserves the right to make changes and revise the design specifications without notice. The equipment shown in this document is a representation only; exact product ordered and shipped may differ from designs shown. Should there be a discrepancy between items listed or depicted in this document and items listed or depicted in Greenfields' estimates and order confirmations, the information listed in estimates and order confirmations will prevail.

4-Person Pendulum, Abs, & Dip Station
SGR022



Plyometric Steps (Set of 3)
SHP724



2-Person Back & Arms Combo
SGR042



Rowing Machine
SGR091



4-Person Pendulum, Abs, & Dip Station
SGR022



2-Person Combo Lat Pull & Vertical Press
SGR48C



2-Person Chest Press
SGR048A



Functional Fitness Rig

SHP515




Functional Fitness Rig

SHP515


This unit offers the following multi-use components:

1. High Rings
2. Battle Rope Anchor Point*
3. Adjustable Suspension Trainer
4. Split Squat Pad
5. Incline Sit-Up Bench
6. Incline Ladder
7. Ring Rows
8. Stretching Post
9. S-Shape Ladder
10. Dip Station
11. Lat-Pull Up Bar
12. S-Shape Pull-Up Bar
13. Swedish Ladder
14. Rope Climb
15. Ball Target*
16. Cannonball Pull-Up Bar



*This feature requires an optional add-on accessory for use.

A fall-attenuating surface is required for this unit.



Split Squats



Incline Ladder



Sit-Ups




S-Shape Ladder




Lat Pull-Ups




Ball Target




Stretching



Pull-Ups



Rope Climb



Dips



Swedish Ladder



Cannonball Pull-Ups




Ring Rows



Battle Ropes



L-Sit



Chest Flies



CUSTOMIZED ANNOUNCEMENT BOARD **SGR105**

This announcement board can be used to:

- State safety guidelines
- Acknowledge project donors/sponsors
- Encourage healthy lifestyle choices
- Provide sample workouts

Customization available at no charge (text, logos, etc.)

FRONT

William H. Kerdyk, Jr. and Family Park
FITNESS ZONE

The fitness equipment is designed for your enjoyment.
For your safety, we ask you to comply with the following:

- 1 You assume all risk and responsibility for use of the exercise equipment at this facility.
- 2 You must be at least 14 years old to use this equipment.
- 3 Parents/Guardians: To avoid injuries, do not let your underage children use the equipment.
- 4 Consult your physician prior to starting any physical fitness training program.
- 5 The City of Coral Gables does not provide any supervision for the use of the equipment.
- 6 Any potential users with known adverse health conditions should not use this equipment.
- 7 Before using the equipment, check for loose parts, breaks, cracks or other conditions needing attention. If any abnormalities are noticed, do not use the equipment. Please contact parks@coralgables.com or (305)460-5600.
- 8 Perform exercises according to instructions on each piece of equipment.
- 9 Breathe normally during physical activity.
- 10 Perform resistance exercises according to instructions in a slow, controlled manner over the full range of motion. Performing the movements too quickly may result in an injury.
- 11 During exercise, pay attention to how your body feels. If pain or discomfort occurs, STOP THE EXERCISE IMMEDIATELY.
- 12 Rest and recovery are important between sets and exercises. Please allow 2 minutes of rest between exercises.
- 13 Keep a safe distance from exercise equipment when in use by others.

The City of Coral Gables shall not be liable for any personal injury to any person resulting from the use of the exercise equipment at this facility.



BACK

**Riverside Park
FITNESS ZONE**

The fitness equipment is designed for your enjoyment.
For your safety, we ask you to comply with the following:

- 1 You assume all risk and responsibility for use of the exercise equipment at this facility.
- 2 You must be at least 14 years old to use this equipment.
- 3 Parents/Guardians: To avoid injuries, do not let your underage children use the equipment.
- 4 Consult your physician prior to starting any physical fitness training program.
- 5 The city does not provide any supervision for the use of the equipment.
- 6 Any potential users with known adverse health conditions should not use this equipment.
- 7 Before using the equipment, check for loose parts, breaks, cracks or other conditions needing attention. If any abnormalities are noticed, do not use the equipment. Please call 313-528-0900.
- 8 Perform exercises according to instructions on each piece of equipment.
- 9 Breathe normally during physical activity.
- 10 Perform resistance exercises according to instructions in a slow, controlled manner over the full range of motion. Performing the movements too quickly may result in an injury.
- 11 During exercise, pay attention to how your body feels. If pain or discomfort occurs, STOP THE EXERCISE IMMEDIATELY.
- 12 Rest and recovery are important between sets and exercises. Please allow 2 minutes of rest between exercises.
- 13 Keep a safe distance from exercise equipment when in use by others.

The City of Detroit shall not be liable for any personal injury to any person resulting from the use of the exercise equipment at this facility.

FRONT

**FITNESS ZONE®**

Get Active!
Try to be active every day. Even if you've never exercised or haven't exercised in many years, you can benefit from fitness at any age.

Before You Start:

- Start slowly. Warm up for 5 to 10 minutes with easy stretching or brisk walking.
- Take it easy. Moderate exercise can benefit you as much as intense exercise.
- Read and understand all exercise instructions.

**A Complete Exercise Program Includes
3 TYPES OF ACTIVITY:**

**AEROBIC EXERCISE**
(Jardín de 10 minutos al día)

- Battey your heart rate
- Uses the large muscles of the body (arms, legs, back)
- Decreases risk of chronic disease
- Helps you lose weight

**STRENGTH-BUILDING**
(Jardín de 10 minutos al día)

- Increases strength
- Improves balance
- Increases bone density

**STRETCHING**
(Jardín de 10 minutos al día)

- Loosens stiff joints
- Lengthens and loosens muscles



FITNESS ZONE AREAS ARE A PROJECT OF THE TRUST FOR PUBLIC LAND TO HELP COMMUNITIES GET FIT AND STAY HEALTHY. tpf.org/fitnesszone

BACK

**ZONA DE EJERCICIOS®**

¡Actívale!
Intenta estar activo todos los días. Incluso si nunca ha hecho ejercicios o no lo ha hecho en muchos años, puede beneficiarse del ejercicio físico a cualquier edad.

Antes de que empieces:

- Comience lentamente. Calentar durante 5 a 10 minutos con estiramientos fáciles o caminatas rápidas.
- Tómalo con calma. El ejercicio moderado puede beneficiarlo tanto como el ejercicio intenso.
- Lea y comprenda todas las instrucciones de ejercicio.

**Un programa completo de ejercicios incluye
3 TIPOS DE ACTIVIDAD:**

**EJERCICIO AEROBICO**
(Jardín de 10 minutos al día)

- Aumenta la ritmo cardíaco
- Utiliza los músculos grandes del cuerpo (brazos, piernas, espalda)
- Disminuye el riesgo de enfermedades crónicas
- Le ayuda a perder peso

**FORTALECER LOS MÚSCULOS**
(Jardín de 10 minutos al día)

- Aumenta masa muscular
- Fortalece los músculos
- Aumenta la densidad ósea

**ESTIRAMIENTO**
(Jardín de 10 a 15 minutos al día)

- Aligera las articulaciones rígidas
- Alarga y afloja los músculos



EL ÁREA DE LA ZONA DE EJERCICIOS ES UN PROYECTO DE LA TRUST FOR PUBLIC LAND PARA AYUDAR A LAS COMUNIDADES A OBTENER Y MANTENER SALUDABLES. tpf.org/fitnesszone

FRONT

Welcome to Your
Fitness Zone

The fitness equipment is designed for your enjoyment. For your safety, we ask you to comply with the following:

1. You assume all risk and responsibility for use of the exercise equipment at this facility.
2. You must be at least 14 years old to use this equipment.
3. Parents/Guardians: To avoid injuries, do not let your underage children use the equipment.
4. Consult your physician prior to starting any physical fitness training program.
5. The City does not provide any supervision for the use of the equipment.
6. Any potential users with known adverse health conditions should not use this equipment.
7. Before using the equipment, check for loose parts, breaks, cracks or other conditions needing attention. If any abnormalities are noticed, do not use the equipment. Please call 408-986-4820.
8. Perform exercises according to instructions on each piece of equipment.
9. Breathe normally during physical activity.
10. Perform resistance exercises according to instructions in a slow, controlled manner over the full range of motion. Performing the movements too quickly may result in an injury.
11. During exercise, pay attention to how your body feels. If pain or discomfort occurs, STOP THE EXERCISE IMMEDIATELY.
12. Rest and recovery are important between sets and exercises. Please allow 2 minutes of rest between exercises or sessions.
13. Keep a safe distance from exercise equipment when in use by others.



BACK

THIS PROJECT WAS MADE POSSIBLE BY:







Promoting Wellness & Fighting Obesity One Community at a Time.

EXAMPLES OF COMPLETED SIGNS

UNIT LABELS

Unit labels feature safety guidelines, exercise instructions and more!

ADA Label included on units from Greenfields' Signature Accessible™ line



THE GREENFIELDS OUTDOOR FITNESS APP

The Greenfields App is the perfect companion to our multigenerational outdoor gyms, giving users the ability to search for gyms near their location, explore exercises available on Greenfields units, create workouts, and log their progress.


Now available on iOS and Android.



greenfieldsfitness.com/app-download/



EXPLORE

Search for gyms near you.




WORKOUT


Customize your routine.



SCAN

Quickly find videos & more.






Posts

Evergreen

Fabric


Desert
Sand

SHADE SAILS



SHADE SAILS

Shade Structure Installation General Information



Adding J-Hook Bolts

The minimum spec for the J-Bolts is F1554 – Grade 36.

They can also be F1554 – Grade 55* or F1554 – Grade 105*.

*Both are rated for a higher shear strength so they can be used if grade 36 cannot be located.

- ▶ State specific professional Engineer Sealed Drawings & Calculations are provided for all custom shades we supply for our projects - intended to comply with local building codes.
- ▶ Greenfields preferred installation method is Pier-Mount, since it allows installation to commence without having to wait for the shade columns.
- ▶ Rebar cages & J-Hook Bolts are not included with the order and are the responsibility of the installers.

DISCLAIMER: This document is for demo purposes only it is not intended for specific installation instructions. Detailed instructions will be provided on a per project basis.

General Installation Instructions:

IN-GROUND



Video Demo: <https://gfoutdoorfitness.com/in-ground-installation/>

The following information for contractors, maintenance personnel and supervisory staff will help ensure an accurate, safe and problem-free installation.

For in-ground installations, stand the equipment up in the holes and then pour the concrete. The extensions cannot be preinstalled with concrete before the equipment since the hole patterns are not uniform.

SUGGESTED MATERIALS SITE PREP BEFORE EQUIP. HANDLING

Please be advised that the use of decomposed granite surfacing (DG) is known to accelerate normal wear & tear of footrests.

1. 2x4s: approximately four, 8' to 10' lengths per unit.
2. All-Thread: 3/8" to 1/2", cut in 1' lengths, two pieces per embedded pipe.
3. Nuts/washers: to fit all-thread, four sets per embedded pipe.
4. Stakes: metal/wood, approximately six per unit.
5. Pavers/cinder blocks: 1 to 2 per unit.
6. Tie wire/c-clamps
7. Duplex wood nails/drywall screws.
8. Concrete: 3250 psi or better. Aggregate ratio: 3/8" to 3/4" in 1:3 ratio. Concrete ratio: 1:3:2.5 of concrete, aggregate, and sand.
9. Tools: cordless impact driver, skill saw, pliers, hammer, small sledge, magnetic level, tape measure, shovels, wheelbarrows, etc.
10. Plans/drawings: schematic drawings and instructions for each model # to be installed.

1. Area should be fenced — recommend 6' temporary fencing, entire perimeter.
2. Ground should be thoroughly graded and "finished grade" accurately established, using either laser or string-line methods. Prior to digging, entire site should be "laid-out" with all footings clearly marked as per plans. In the U.S. contact "Dig Alert" for clearance to dig, and follow all local construction regulations (fencing, dirt removal, etc).
3. Dig footings, closely following given dimensions.
4. Remove dirt and debris from site, prior to placing units.
- 5.
- 6.



In order to honor our commitment to quality and safety, Greenfields Outdoor Fitness reserves the right to make changes and revise the design specifications without notice. LU21x03x24 © 2026 Greenfields Outdoor Fitness, Inc.

General Installation Instructions:

BASIC INSTALLATION GUIDELINES



UNITS ARE HEAVY (up to 450 lbs.) When unloading and handling, please exercise extra care to prevent injury or damage to the equipment.

1. All units must be fully assembled before installation.
2. All screws must be attached using LoCTite.
3. Do not drag units along the ground.
4. If missing parts or damaged items are noticed during installation, or should any assistance be required, please contact Greenfields immediately at 888-315-9037 x105
5. All units MUST be fully assembled, leveled, and braced in place in the footing hole before any concrete is poured.
6. A monolithic pour MUST be used for concrete. (All concrete must be poured at one time.) Concrete requirement: 3250 psi or better.
7. The top of the blue tape attached to the posts on the equipment is final top surface level.
8. Brace units at the designated locations using the 2x4s, secured by c-clamps, all-thread, or tie-wire. Use padding to avoid scratching powder coating.
9. Suggested safety zone is about 48"-60" perimeter around usage area (seats and moving parts). Clearance area may overlap with a nearby unit, as long as there is enough clearance to safely mount and dismount each unit.
10. Make sure all units are plumb and leveled.
11. Adhere to surfacing level (marked on units with blue tape)
12. Pour concrete.
13. Clear concrete residue from post and other parts.
14. Let concrete dry. It is recommended to wait a minimum of one week after concrete is poured before equipment is used.
15. Remove supports.
16. Touch up units using attached guide.
17. Wrap units in black tarps until open to public.
18. At the end of installation, toolbox and all documentation should be submitted to the local maintenance staff.



In order to honor our commitment to quality and safety, Greenfields Outdoor Fitness reserves the right to make changes and revise the design specifications without notice. LU21x03x24 © 2026 Greenfields Outdoor Fitness, Inc.

General Installation Instructions:

IN-GROUND EXTENSION INSTALLATION INSTRUCTIONS



IF THE IN-GROUND EXTENSIONS ARE NOT PREINSTALLED ON THE UNITS:

1. Align correct extensions to the unit, ensuring matching hole pattern.
2. Install 1-1/4" by 1/2" galvanized bolts into holes.
3. Thread 1/2" galvanized nuts onto bolts from below.



In order to honor our commitment to quality and safety, Greenfields Outdoor Fitness reserves the right to make changes and revise the design specifications without notice. LU21x03x24 © 2026 Greenfields Outdoor Fitness, Inc.

OWNERS MANUAL



Questions? Please call 888-315-9037 x105

1. General maintenance requirements

- A. Public Safety
Owner / Operator is responsible for the overall upkeep of the fitness stations post installation. Should any piece of a fitness station become unsafe, it is the owner's responsibility to rope off the unit to prevent public access.
Examples:
• Installation is incomplete or has not passed final inspection
• Owner's regular maintenance is not sufficient to guarantee safe use by the public
- B. Owner is ultimately responsible for the overall upkeep of the fitness stations, regardless of if the maintenance is done internally within its own organization or outsourced to a 3rd party service company.
- C. Maintenance records are to be kept for a minimum of 7 years.

2. Inspection of the Installation - General

- A. Regular Visual Inspection.
Regular visual inspection allows for the detection of obvious hazards to the equipment or the immediate surrounding area, which may have been caused by regular use, vandalism or caused by nature.
Regular visual inspection should take place at least once every two weeks
NOTE: For areas which experience heavy usage, fitness stations should be inspected daily.
- B. Operational / Functionality Inspection:
This portion of the inspection is more detailed, and it is designed to identify wear & tear concern. Please refer to the guidelines provided in table below:

	What to look for	Possible concerns
1	Main structure/posts	- Foundation is unstable - Post is exposed to standing water - Water buildup in the base of the post - Cracks in structure
2	Connectors/clamps	- Loose contact with main post - Missing hardware
3	Moving parts	- Compromised range of motion - Bearings - Internal stopper not functioning as designed
4	Chains/cables	Loose or compromised connection to the clamps
5	Climbing ropes	- Wear & tear - Cuts (vandalism)
6	Concrete footers	Exposed?
7	Fall-attenuating surfacing	Damage? Displacement?
8	Signage	Missing? Vandalized? Graffiti?
9	Grips	Missing? Cut? Cracked?
10	Footrests/armrests/seats	Missing? Cracked? Worn?
11	Trip hazards	- Ensuring access to the fitness zone does not pose a trip hazard: - Exposed footers? - Damaged/eroded surfacing?

- C. Annual Inspection
Once a year, on the anniversary of the installation, all fitness stations must be thoroughly inspected to determine the overall safety of the fitness station, as a result of normal usage, excessive usage, vandalism & weather.

In order to honor our commitment to quality and safety, Greenfields Outdoor Fitness reserves the right to make changes and revise the design specifications without notice.
LU21x03x24 © 2026 Greenfields Outdoor Fitness, Inc.

OWNERS MANUAL



Questions? Please call 888-315-9037 x105

4. Large signage

ASTM F1749-15 (2020) establishes requirements for safety signage and labels for fitness equipment. It defines requirements for design, placement, and wording. Fitness equipment is intended for users 13 years and older. These standards were established by the World Trade Organization Technical Barriers to Trade Committee.
Greenfields recommends adding our large safety signs to every project. We also recognize that at time of design, the signage may have been overlooked. Signs can be easily added to every project.
This large announcement board can be used to:
• State safety guidelines
• Limit owner's liability
• Acknowledge project donors/sponsors
• Encourage healthy lifestyle choices
• Provide sample workouts
Customization available at no charge (text, logos, colors, graphics etc.)

5. Contact technical support

Greenfields Customer Support Center (aka CSC) is available to assist with all post installation inquiries. The best method of communication will be via email: CSC@GreenfieldsFitness.com. Here are the basic pieces of information that will be needed to assist:
• Project name & address
• Photos of the items in question
• Best shipping address
• POC name and contact information (email & phone)

6. Surfacing & fall-attenuating surfacing

To meet the ASTM F3101-21A Standard requirement for safety surfacing, Greenfields specifies the CFH (Critical Fall Height) for all fitness units and components in each design layout.

Critical Fall height is specified as the distance from the designated use surface to the surface below, and follows the same rules applied to playgrounds. For example, in a seated position, the CFH will be from the seat to the floor below. In the case of a pull-up bar, it will be the distance from the top of the bar to the ground below. For the finish wall of the Ninja Course, it will be the top landing platform, etc.

The decision of which type of fall attenuating surface material to use is ultimately up to the owner. The options include but are not limited to synthetic turf, engineered wood fiber, rubber tiles, and poured-in-place EPDM, to name a few. The thickness of each material recommended for a given CFH will vary by the manufacturer of the surfacing.

Greenfields recognizes the owner may prefer one surfacing supplier over another. All we ask is that the material thickness meets the IPEMA requirement for the published CFH, and that the installer/supplier provides the owner with IPEMA Certification stating that the installed surfacing meets the required minimum CFH.

Owner is responsible for maintaining the surfacing over time.
With any issues or concerns regarding the surfacing, owner should call the surfacing supplier / manufacturer.

In order to honor our commitment to quality and safety, Greenfields Outdoor Fitness reserves the right to make changes and revise the design specifications without notice.
LU21x03x24 © 2026 Greenfields Outdoor Fitness, Inc.

Shade Warranty

Greenfields Outdoor Fitness, Inc. warrants that the equipment sold will conform in kind and quality to the specifications listed in the Order Confirmation and will be free of defects in workmanship or materials. Greenfields Outdoor Fitness further warrants:

- LIMITED 20 YEAR WARRANTY on all upright posts and support structure frames against failure due to rust through corrosion. This warranty excludes any cosmetic issues.
- LIMITED 10 YEAR WARRANTY on all CoolNet™ fabrics, threads, and cables against degradation, cracking or material breakdown resulting from ultra-violet exposure, mold, and mildew, as well as on Turn-N-Slide™ fastening device. This warranty excludes fading or failure of fabric due to chemical erosion, flying or falling objects, and accumulation of snow or ice.
- LIMITED 1 YEAR WARRANTY for structural failure of moving parts, powder-coated finish, or any other product or part not covered by one of the above warranties.

All above warranties commence on the date of the Seller's invoice.

Complete details regarding the shade warranty can be found in the Owner's Manual. For any other questions, please contact Greenfields at 888-315-9037 or info@greenfieldsfitness.com.



Warranty

- Limited 10-year warranty on main posts and metal structures
- Limited 5-year warranty on moving parts, bearings, seats, backrests, and HDPE panels
- Limited 3-year warranty on hydraulic pistons
- Limited 2-year warranty on footrests, armrests, rubber parts, chains, rings, other grips, and polyurethane components
- Limited 1-year warranty on battle ropes, climbing ropes, suspension trainers, and cargo nets

All warranties cover failure due to natural deterioration or manufacturing defects and do not include any cosmetic issues or wear and tear from normal use. This warranty does not cover cosmetic items such as scratches, dents, marring, fading, discoloring, weathering, wear and tear, or normal level of rusting. Warranty is valid only if the equipment is installed and maintained in conformity with Greenfields' installation and maintenance procedures furnished by Greenfields Outdoor Fitness. Equipment should not be exposed to any irrigation, especially with reclaimed water, as this will void the warranty. Equipment must be installed on a surface with proper drainage and or slope to prevent water buildup around the base of the equipment. Equipment should not be installed in basins or in low-lying areas which result in equipment being submerged. Equipment should be installed in a timely fashion after delivery; however, if the equipment must be stored for an extended period of time, crates should be stored in a dry, indoor environment.

OTHER PRODUCT INFORMATION

Greenfields will continue to develop its line of products and therefore reserves the right to change the design specifications without notice. The equipment is designed for use by individuals weighing up to 300 pounds. The equipment is NOT intended to be used by individuals younger than 14 years of age unless supervised by adults. Greenfields' units are designed to accommodate the majority of users age 14 and above; however, due to the nature of outdoor fitness equipment, units are regarded as "one size fits most, but not all."

CUSTOMER SUPPORT

Upon written notification (email or fax) to Greenfields of a product's failure to conform to any of the aforementioned warranties during the applicable warranty period, Greenfields shall correct such failure/nonconformity by repairing the defective part(s) or providing replacement part(s) within 60 calendar days of receipt of the notification. Greenfields shall ship the required replacement part(s) to the site free of charge, but will not be responsible for providing labor or the cost of labor for removing defective part(s) or installing replacement part(s). Greenfields will warranty the replacement part(s) for the remainder of the original warranty period. Furthermore, no representation, oral or written, of any individual may be substituted for this exclusive limited warranty. To the extent permitted by law, Greenfields shall not be liable for any direct, indirect, special, incidental or consequential damages, which are

expressly excluded from the sale of its product. To make claims under the terms of this warranty, please contact Greenfields' Customer Support Center at CSC@GreenfieldsFitness.com. Please include photos or video.

INSTALLATION

Greenfields' equipment is constructed from heavy steel pipes and is subject to heavy forces and torques when in use as intended. Extra care must be taken to ensure that the equipment is securely installed so that it can be safely enjoyed for years to come. There are two methods of installation for the equipment:

- Surface mount installation with posts bolted to a reinforced concrete slab a minimum of 6"-8" thick (please refer to Installation Instructions & Video for detailed guidelines)

888-315-9037 | greenfieldsfitness.com Updated 1/29/2024

- Permanent in-ground installation in which the equipment post extensions are placed in concrete footings and use provided rebar pegs (please refer to Installation Instructions & Video for detailed guidelines)

Installers and project managers are encouraged to contact Greenfields' Customer Support Center with any questions before, during, and/or after installation. Detailed installation instructions are available for all products and are included in the crates for every order. Often the installation of Greenfields' products is assigned to the lowest bidding contractor. The contractor may not have been in contact with Greenfields prior to the project or seen the detailed Installation Instructions. It is the responsibility of the project manager to ensure installing contractor is provided with the most updated set of Greenfields' Installation Instructions & Installation Video to ensure the validity of the warranty. Should the project installer need a copy of the Installation Instructions, please contact Greenfields' Customer Support Center at 888-315-9037 x105 or by email at CSC@GreenfieldsFitness.com.

SAFETY STANDARDS

This adult outdoor fitness equipment is not intended for use by unsupervised individuals younger than 14 years of age. ASTM recently adopted ASTM F3101-21A Standard Specification for Unsupervised Public Use Outdoor Fitness Equipment. While playgrounds are subject to laws in various states requiring compliance with ASTM and/or Consumer Product Safety Commission (CPSC) guidelines, at time of this publication, and to the best knowledge of Greenfields Outdoor Fitness, there are no state laws requiring compliance with standards set forth by ASTM for outdoor fitness equipment (nor with CPSC guidelines, as none currently exist.) Play equipment can be certified to be in compliance with ASTM by the International Playground Equipment Manufacturers Association (IPEMA), and many agencies have a requirement that they only purchase equipment that is IPEMA certified. However, at this time, this is not possible with outdoor fitness equipment, as IPEMA does not currently certify compliance of outdoor fitness equipment. In addition, at this time there are no programs in place to train certified

inspectors for outdoor fitness equipment. Without a state law that requires compliance, specifications are voluntary only. However, Greenfields Outdoor Fitness strives to comply with all of the voluntary specifications of ASTM F3101-21A. Greenfields recommends adding a customized sign to each project to limit liability.

SURFACING MATERIALS

Over the years, Greenfields' product has been installed using the following various types of surfacing. ASTM 3101-21A suggests impact attenuating surfacing for some scenarios. The type of surfacing used is ultimately the choice of the owner and their project manager. When it comes to Functional Fitness, Challenge Course and any other apparatus with an overhead structure, it is advised to use fall attenuating surfacing. Greenfields does not promote the use of one type of surfacing over another – the decision is ultimately up to project owners and their architects / engineers. For project specific information, please contact a Greenfields project manager.

MAINTENANCE & EQUIPMENT UPKEEP

Greenfields Outdoor Fitness equipment is intended to be used by the unsupervised public in a variety of outdoor settings. Greenfields is extremely proud of the safe and durable design of its products, which are built to surpass their warranty under normal usage. Installations worldwide prove this equipment's success in both hot and cold climates, as well as dry and humid conditions. While the units are designed to require, for the most part, little to no maintenance, Greenfields recognizes that heavy and constant usage will require a minimal level of maintenance which will be scheduled based on the specific nature of each project. Installation on an ocean front, or with a direct line of sight to the ocean, will expose the units to salt and will require additional maintenance which is not required at inland sites or in dry climates. Such installations will require a regular freshwater rinse to remove the salt from the units (do not use reclaimed water - exposing the equipment to reclaimed water will void warranty). Greenfields recommends periodic inspection by a maintenance team to ensure each and every apparatus functions as intended. Please refer to the Periodic Inspection Checklist provided with the O&M Owner's Manuals. For project specific information, please contact a Greenfields project manager.